




WELL-X-TROL®

Pre-pressurized diaphragm-type well tanks WX-100, 200 and 300 SERIES




In-Line Models

Model No.	Tank Vol.		Max. Accept. Factor	A Height		B Diameter		Sys. Conn. ¹	Factory Pre-charge PSIG	Working Pressure PSIG ²	Ship Wt.	
	Lit.	Gal		mm	ins.	mm	ins.				kg	lbs.
WX-101	8	2.0	0.45	321	12 ⁵ / ₈	203	8	³ / ₄	18	100	2.3	5
WX-102	17	4.4	0.55	381	15	279	11	³ / ₄	18	100	4.0	9
WX-103	33	7.6	0.42	629	22 ¹ / ₄	279	11	³ / ₄	28	100	7.0	15
WX-104	39	10.3	1.00	451	17 ³ / ₄	390	15 ³ / ₈	1	38	125	9.0	20
WX-200	53	14.0	0.81	559	22	390	15 ³ / ₈	1	38	125	10.0	22

¹ System Connection: Steel. ² 100 PSIG is 689.5 kPa, 125 PSIG is 862 kPa

¹ System Connection: Steel. Copper Lined Steel Fitting



Stand Models

Model No.	Tank Vol.		Max. Accept. Factor	A Height		B Diameter		C Conn.	Sys. Conn. ³	Factory Pre-charge PSIG	Working Pressure PSIG ²	Ship Wt.	
	Lit.	Gal		mm	ins.	mm	ins.					ins.	ins.
WX-104-S	39	10.3	1.00	489	19 ¹ / ₄	390	15 ³ / ₈	1 ¹³ / ₁₆	1	38	125	10.5	23
WX-201	53	14.0	0.81	606	23 ⁷ / ₈	390	15 ³ / ₈	1 ¹³ / ₁₆	1	38	125	11.4	25
WX-202	76	20.0	0.57	803	31 ⁵ / ₈	390	15 ³ / ₈	1 ¹³ / ₁₆	1	38	125	15.0	33
WX-202XL	98.4	26.0	0.44	971.5	38 ¹ / ₄	390.5	15 ³ / ₈	1 ¹³ / ₁₆	1	38	125	16.3	36
WX-203	121	32.0	0.35	1143	45	390	15 ³ / ₈	1 ¹³ / ₁₆	1	38	125	20.0	43
WX-205	129	34.0	1.00	752	29 ⁵ / ₈	559	22	2 ³ / ₁₆	1 ¹ / ₄	38	125	28.0	61
WX-250	167	44.0	0.77	914	36	559	22	2 ³ / ₁₆	1 ¹ / ₄	38	125	31.0	69
WX-251	235	62.0	0.55	1187	46 ³ / ₄	559	22	2 ³ / ₁₆	1 ¹ / ₄	38	125	41.0	92
WX-255	306.6	81.0	0.41	1432	56 ³ / ₈	558.8	22	2 ³ / ₁₆	1 ¹ / ₄	38	125	10.0	103
WX-302	326	86.0	0.54	1200	47 ¹ / ₄	660	26	2 ³ / ₁₆	1 ¹ / ₄	38	125	56.0	123
WX-350	450	119.0	0.39	1572	61 ⁷ / ₈	660	26	2 ³ / ₁₆	1 ¹ / ₄	38	125	75.0	166

² 125 PSIG is 862 kPa (Stainless Steel Elbow).

³ System Connection: Stainless Steel.

Max. Operating Conditions

Operating Temperature	200° F (93° C)
-----------------------	----------------

Specifications

Description	Standard Construction
Shell	Steel
Diaphragm	Heavy Duty Butyl
Liner	Virgin Polypropylene
Coating	Blue Enamel ⁴

⁴ Unless TUF-KOTE is specified. All dimensions are approximate.



Job Name _____

Location _____

Engineer _____

Contractor _____

Contractor P.O. No. _____

Sales Representative _____

Model No. Ordered _____

Pump Cut-In _____ PSI Pump Cut-Out _____ PSI

Pump GPM _____